

Connecting via Winsock to STN

STN STRUCTURE SEARCH (REGISTRY/CAPLUS)

Welcome to STN International! Enter x:x

LOGINID:SSPTAJMN1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 JAN 02 STN pricing information for 2008 now available
NEWS 3 JAN 16 CAS patent coverage enhanced to include exemplified
prophetic substances
NEWS 4 JAN 28 USPATFULL, USPAT2, and USPATOLD enhanced with new
custom IPC display formats
NEWS 5 JAN 28 MARPAT searching enhanced
NEWS 6 JAN 28 USGENE now provides USPTO sequence data within 3 days
of publication
NEWS 7 JAN 28 TOXCENTER enhanced with reloaded MEDLINE segment
NEWS 8 JAN 28 MEDLINE and LMEDLINE reloaded with enhancements
NEWS 9 FEB 08 STN Express, Version 8.3, now available
NEWS 10 FEB 20 PCI now available as a replacement to DPCI
NEWS 11 FEB 25 IFIREF reloaded with enhancements
NEWS 12 FEB 25 IMSPRODUCT reloaded with enhancements
NEWS 13 FEB 29 WPINDEX/WPIDS/WPIX enhanced with ECLA and current
U.S. National Patent Classification
NEWS 14 MAR 31 IFICDB, IFIPAT, and IFIUDB enhanced with new custom
IPC display formats
NEWS 15 MAR 31 CAS REGISTRY enhanced with additional experimental
spectra
NEWS 16 MAR 31 CA/CAPLUS and CASREACT patent number format for U.S.
applications updated
NEWS 17 MAR 31 LPCI now available as a replacement to LDPCI
NEWS 18 MAR 31 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS 19 APR 04 STN AnaVist, Version 1, to be discontinued
NEWS 20 APR 15 WPIDS, WPINDEX, and WPIX enhanced with new
predefined hit display formats
NEWS 21 APR 28 EMBASE Controlled Term thesaurus enhanced
NEWS 22 APR 28 IMSRESEARCH reloaded with enhancements

NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 14:54:37 ON 16 MAY 2008

=> FIL REG

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

4.83

4.83

FILE 'REGISTRY' ENTERED AT 15:08:05 ON 16 MAY 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 MAY 2008 HIGHEST RN 1020941-66-5

DICTIONARY FILE UPDATES: 14 MAY 2008 HIGHEST RN 1020941-66-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10509795\May_1.str



```

chain nodes :
10 11 12 13 14 15 16 17
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-16 4-17 5-15 6-14 7-10 9-13 10-11 11-12
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds :
2-7 3-9 5-15 6-14 7-8 8-9 11-12
exact bonds :
1-16 4-17 7-10 9-13 10-11
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6

```

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:Atom 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS
Generic attributes :
12:
Saturation          : Unsaturated


```

L1 STRUCTURE UPLOADED

=> D

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> S L1

SAMPLE SEARCH INITIATED 15:08:25 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 2033 TO ITERATE

98.4% PROCESSED 2000 ITERATIONS

28 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 37956 TO 43364


PROJECTED ANSWERS: 249 TO 889

L2 28 SEA SSS SAM L1

=> D SCAN

L2 28 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Cyclopropanecarboxamide, N-[3-[(1E)-2-(3,4-difluorophenyl)ethenyl]-6-
fluoro-1H-indazol-5-yl]-1-hydroxy-
MF C19 H14 F3 N3 O2

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L2 28 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Acetamide, N-[6-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]-1H-indazol-5-yl]-
MF C16 H13 F N4 O

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

```
=> S L1 FULL
FULL SEARCH INITIATED 15:08:42 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      39742 TO ITERATE

100.0% PROCESSED      39742 ITERATIONS      328 ANSWERS
SEARCH TIME: 00.00.01

L3      328 SEA SSS FUL L1
```

```
=> FIL CAPLUS
COST IN U.S. DOLLARS      SINCE FILE      TOTAL
                           ENTRY      SESSION
FULL ESTIMATED COST      178.36      183.19
```

FILE 'CAPLUS' ENTERED AT 15:08:46 ON 16 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 May 2008 VOL 148 ISS 20
FILE LAST UPDATED: 14 May 2008 (20080514/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>



```
=> S L3
L4      2 L3

=> D IBIB ABS TOT
```

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:565202 CAPLUS
 DOCUMENT NUMBER: 147:9901
 TITLE: Indazole compounds and their preparation, pharmaceutical compositions and use in the treatment of proliferative diseases
 INVENTOR(S): Blanchard, Stephanie; Deng, Weiping; Lee, Cheng Hsia Angeline; Poulsen, Anders; Teo, Ee Ling; Tu, Noah P.; William, Anthony Deodunia
 PATENT ASSIGNEE(S): Sbio Pte Ltd., Singapore
 SOURCE: PCT Int. Appl., 177pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007058626	A1	20070524	WO 2006-SG351	20061115
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
PRIORITY APPLN. INFO.:		US 2005-736845P P 20051116		
OTHER SOURCE(S):		MARPAT 147:9901		
GI				


L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



AB The invention relates to indazole compds. of formula I, which are useful in the treatment of proliferative disorders such as cancer. Compds. of formula I wherein R1, R2, R3, R4 and R5 are independently H, halo, NO2, CN, (halo)alkyl, (halo)alkenyl, alkynyl, heteroalkyl; Z is single bond, CH2, CH2CH2, CH=CH, (un)substituted C3-6 alkenylene, (un)substituted C2-6 alkynylene, and (un)substituted C3-6 cycloalkyl; Ar is (un)substituted (hetero)aryl; and their pharmaceutically acceptable salts, N-oxides and prodrugs thereof, are claimed. Example compound II was prepared by a general procedure (procedure given). All the invention compds. were evaluated for their antiproliferative activity. From the assay, it was determined that compound II exhibited GI50 of 20 μM or less.
 REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2003:972059 CAPLUS
 DOCUMENT NUMBER: 140:27819
 TITLE: Preparation of pyrazole derivatives as JNK inhibitors
 INVENTOR(S): Ohi, Norihito; Sato, Nobuaki; Soejima, Motohiro; Doko,
 Takashi; Terauchi, Taro; Naoe, Yoshimitsu; Motoki, Takafumi
 PATENT ASSIGNEE(S): Eisai Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 561 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003101968	A1	20031211	WO 2003-JP6777	20030529
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2482838	A1	20031211	CA 2003-2482838	20030529
AU 2003241925	A1	20031219	AU 2003-241925	20030529
EP 1510516	A1	20050302	EP 2003-733170	20030529
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
CN 1656079	A	20050817	CN 2003-812475	20030529
US 20050208582	A1	20050922	US 2003-447948	20030530
US 20050261339	A1	20051124	US 2005-508735	20050225
PRIORITY APPLN. INFO.:		JP 2002-158467 A 20020531		
		JP 2003-153 A 20030106		
		WO 2003-JP6777 W 20030529		
OTHER SOURCE(S):		MARPAT 140:27819		
GI				



AB The title compds. I [R1 represents (CO)h(NRa)j(CRb:CRc)kAr (wherein Ra, Rb, and Rc each independently represents hydrogen, halogeno, hydroxy, optionally substituted C1-6 alkyl, etc.); Ar = (un)substituted aromatic

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
 heterocyclic ring, etc.; h, j, k = 0 or 1; Cy is a 5- or 6-membered arom. heterocycle; and V represents L-X-Y (wherein L is a single bond, optionally substituted C1-6 alkylene, etc.; X is a single bond, O, CO, etc.; and Y is hydrogen, halogeno, nitro, etc.); n = 0 - 4] are prep.
 Compds. of this invention in vitro showed IC50 values of 63 nM to 578 nM against JNK-3.
 REFERENCE COUNT: 57 THERE ARE 57 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT

INSTANT APP

=> FIL REG

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

7.26

190.45

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-1.60

-1.60

FILE 'REGISTRY' ENTERED AT 15:10:29 ON 16 MAY 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 MAY 2008 HIGHEST RN 1020941-66-5

DICTIONARY FILE UPDATES: 14 MAY 2008 HIGHEST RN 1020941-66-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10509795\May_2.str



chain nodes :

10 11 12 13 14 15
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
7-10 9-13 10-11 11-12
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds :
2-7 3-9 7-8 8-9 11-12
exact bonds :
7-10 9-13 10-11
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:Atom 13:CLASS 14:CLASS 15:CLASS 16:Atom 17:Atom

Generic attributes :

12:


Saturation : Unsaturated

L5 STRUCTURE UPLOADED

=> D

L5 HAS NO ANSWERS

L5 STR



BROADER SEARCH

Structure attributes must be viewed using STN Express query preparation.

=> S L5

SAMPLE SEARCH INITIATED 15:10:52 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 2033 TO ITERATE

98.4% PROCESSED 2000 ITERATIONS 29 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 37956 TO 43364
PROJECTED ANSWERS: 264 TO 914

L6 29 SEA SSS SAM L5

=> S L5 FULL

FULL SEARCH INITIATED 15:10:58 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 39742 TO ITERATE

100.0% PROCESSED 39742 ITERATIONS 353 ANSWERS
SEARCH TIME: 00.00.01

L7 353 SEA SSS FUL L5

=> D HIS

(FILE 'HOME' ENTERED AT 14:54:37 ON 16 MAY 2008)

FILE 'REGISTRY' ENTERED AT 15:08:05 ON 16 MAY 2008

L1 STRUCTURE UPLOADED
L2 28 S L1
L3 328 S L1 FULL

FILE 'CAPLUS' ENTERED AT 15:08:46 ON 16 MAY 2008

L4 2 S L3

FILE 'REGISTRY' ENTERED AT 15:10:29 ON 16 MAY 2008

L5 STRUCTURE UPLOADED
L6 29 S L5
L7 353 S L5 FULL

=> S L7 NOT L3

L8 25 L7 NOT L3

=> FIL CAPLUS

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
178.36	368.81

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-1.60

CA SUBSCRIBER PRICE

FILE 'CAPLUS' ENTERED AT 15:11:13 ON 16 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 May 2008 VOL 148 ISS 20
FILE LAST UPDATED: 14 May 2008 (20080514/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> S L8
L9 1 L8


=> D IBIB ABS HITSTR

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2003:972059 CAPLUS
 DOCUMENT NUMBER: 140:27819
 TITLE: Preparation of pyrazole derivatives as JNK inhibitors
 INVENTOR(S): Ohi, Norihito; Sato, Nobuaki; Soejima, Motohiro;
 Doko,
 Takashi; Terauchi, Taro; Naoe, Yoshimitsu; Motoki,
 Takafumi
 PATENT ASSIGNEE(S): Eisai Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 561 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


INSTANT APP.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003101968	A1	20031211	WO 2003-JP6777	20030529
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MK, NE, SN, TD, TG CA 2482838 A1 20031211 CA 2003-2482838 20030529 AU 2003241925 A1 20031219 AU 2003-241925 20030529 EP 1510516 A1 20050302 EP 2003-733170 20030529 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, HR, BG, CZ, EE, HU, SR CN 1656079 A 20050827 CN 2003-812475 20030529 US 20050208582 A1 20050922 US 2003-447348 20030530 US 20050261339 A1 20051124 US 2005-509795 20050225 JP 2002-158467 A 20020531 JP 2003-153 A 20030106 WO 2003-JP6777 N 20030529				

PRIORITY APPLN. INFO.:
 OTHER SOURCE(S): MARPAT 140:27819
 GI




L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 633323-94-1 CAPLUS
 CN 1H-Indazole-5-amine, 7-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633323-95-2 CAPLUS
 CN 2-Furancarboxamide, N-[7-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]-1H-indazol-5-yl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

AB The title compds. I [R1 represents (CO)h(NRa)j(CRb:CRc)kAr (wherein Ra, Rb, and Rc each independently represents hydrogen, halogeno, hydroxy, optionally substituted C1-6 alkyl, etc.); Ar = (un)substituted aromatic heterocyclic ring, etc.; h, j, k = 0 or 1; Cy is a 5- or 6-membered aromatic heterocycle; and V represents L-X-Y (wherein L is a single bond, optionally substituted C1-6 alkylene, etc.; X is a single bond, O, CO, etc.; and Y is hydrogen, halogeno, nitro, etc.); n = 0 - 4] are prepared Compds. of this invention in vitro showed IC50 values of 63 nM to 578 nM against JNK-3.


IT 633323-92-9P 633323-93-0P 633323-94-1P
 633323-95-2P 633325-19-6P 633325-29-8P
 633325-30-1P 633332-67-9P 633333-05-8P
 633333-06-9P 633333-07-0P 633333-08-1P
 633333-09-2P 633333-10-5P 633333-11-6P
 633333-12-7P 633333-13-8P 633333-14-9P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pyrazole derivs. as JNK inhibitors)

RN 633323-92-9 CAPLUS

CN 1H-Indazole-5-carboxamide, 7-fluoro-N-[(1S)-2-hydroxy-1-phenylethyl]-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Absolute stereochemistry.
 Double bond geometry as shown.



RN 633323-93-0 CAPLUS


CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633325-19-6 CAPLUS
 CN 1H-Indazole-5-carboximide, 7-fluoro-3-[(1E)-2-(3-fluorophenyl)ethenyl]-, ethyl ester, hydrochloride (1:1) (CA INDEX NAME)


Double bond geometry as shown.



● HCl

RN 633325-29-8 CAPLUS
 CN 1H-Indazole-5-carbonitrile, 7-fluoro-3-[(1E)-2-(4-fluorophenyl)ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.



L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

RN 633325-30-1 CAPLUS
 CN 1H-Indazole-5-carboximide acid, 7-fluoro-3-[(1E)-2-(4-fluorophenyl)ethenyl]-, ethyl ester, hydrochloride (1:1) (CA INDEX NAME)


Double bond geometry as shown.



● HCl

RN 633332-67-9 CAPLUS
 CN 1H-Indazole-5-carboxamide, 7-fluoro-N-[(1S)-2-hydroxy-1-phenylethyl]-3-[(1E)-2-[4-(trifluoromethyl)phenyl]ethenyl]- (CA INDEX NAME)


Absolute stereochemistry.
 Double bond geometry as shown.



RN 633333-05-8 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(2-fluorophenyl)ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 633333-06-9 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(3-fluorophenyl)ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.



RN 633333-07-0 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(4-fluorophenyl)ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 633333-08-1 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-phenylethenyl]- (CA INDEX NAME)


Double bond geometry as shown.



RN 633333-09-2 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(2-thienyl)ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)




RN 633333-10-5 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(3-thienyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633333-11-6 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(2-pyridinyl)ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.



RN 633333-12-7 CAPLUS


L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(4-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633333-13-8 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(6-methoxy-2-pyridinyl)ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.



RN 633333-14-9 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(6-methoxy-3-pyridinyl)ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)




RN 633327-32-9 CAPLUS
 CN 1H-Indazole-5-carboxamide, 7-fluoro-N-[(1S)-1-(hydroxymethyl)-2-methylpropyl]-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Absolute stereochemistry.
 Double bond geometry as shown.




RN 633327-33-0 CAPLUS
 CN 1H-Indazole-5-carboxamide, N-[(1S)-2-amino-1-methyl-2-oxoethyl]-7-fluoro-3-[(2-(3-pyridinyl)ethenyl)]- (CA INDEX NAME)

Absolute stereochemistry.
 Double bond geometry unknown.




L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



IT 633327-30-7P 633327-31-8P 633327-32-9P
 633327-33-0P 633328-21-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of pyrazole derivs. as JNK inhibitors)
 RN 633327-30-7 CAPLUS
 CN 1H-Indazole-5-carboxylic acid, 7-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.




RN 633327-31-8 CAPLUS
 CN 1H-Indazole-5-carboxamide, 7-fluoro-N-(2-furanylmethyl)-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

RN 633328-21-9 CAPLUS
 CN 1H-Indazole-5-carbonitrile, 7-fluoro-3-[(1E)-2-(3-fluorophenyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



REFERENCE COUNT: 57 THERE ARE 57 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE REFORMAT